

Installation

Introduction

There three different ways for the installation. I choose the docker deployment.

Requirements

- Debian Linux Server
- pre-installed docker

Installation

The PWM docker image includes Java and Tomcat. It listens using https on port 8443, and has a volume exposed as /config. You will need to map the /config volume to some type of persistent docker volume for PWM to retain configuration.

Download the newest version

Goto <https://github.com/pwm-project/pwm/releases>

find and download the most recent .tar file. In my case it was [pwm-docker-image-2.0.6.tar](#).

Load the docker image

Load your docker image with image name of default pwm/pwm-webapp:

```
docker load --input=pwm-docker-image-v2.0.0.tar
```

Create file structure

I worked in the root path.

```
mkdir pwm-config
```

This subdirectoy will become very useful, hence there will be all fiels for configuration and debugging puposes.

Create docker image

Create docker image named mypwm, map to the server's 8443 port, and set the config volume to use the server's local file system /home/user/pwm-config folder (this will be the PWM application path for the container):

```
docker create --name mypwm -p '8443:8443' --mount 'type=bind,source=/root/pwm-config,destination=/config'
pwm/pwm-webapp
```

Start the mypwm container:

```
docker start mypwm
```

Revision #1

Created 2 February 2024 12:25:41 by Admin

Updated 10 May 2025 09:17:34 by Admin