Mail Service hMail

• E-Mail Client für die Benutzung mit hMail einrichten

E-Mail Client für die Benutzung mit hMail einrichten

Im Augenblick deaktiviert.

Einleitung

Fast alle modernen E-Mail Clients sind kompatibel mit hMail. Hier eine kleine Auswahl an gängigen Clients:

- Thunderbid
- MS Outlook
- Evolution

Als Beispiel verwende ich hier Thunderbird. Andere Clients sind analoog zum Zugriff auf hMail zu konfigurieren. Daneben werden noch zwei WebClients zur freien Benutzung angeboten:

- RoundCube
- SOGo

Konfiguration Thunderbird

1. Nach dem Start von Thunderbird links unten auf das Einrichtungs-Icon klicken:



- 2. Dann auf Account Settings:
 - Account Settings
- 3. Dann auf Account Actions:



4. Add Mail Account

Set Up Your Existing Email Address


To use your current email address fill in your credentials.

Thunderbird will automatically search for a working and recommended server configuration.


Your full name		
James Kirk		(i)
Email address		
jkirk@hmail.simmy.org		(1)
Password		
••••••		Ø
Remember password		
Configure manually	Cancel	Continue
Your credentials will only be stored locally on your computer.		



5. Configure Manually



6. Confirm Security Exception



7. Alles ok:

